

ParkPal: Design and Wizard of Oz trial of a voice-based nature guide

SARAH WEBBER, GREG WADLEY, and CHIKAKO FUJIOKA, School of Computing & Information Systems,
The University of Melbourne, Australia

Urban societies risk disconnection from nature and have few opportunities to develop awareness and appreciation of local flora, fauna and ecosystems. To investigate the challenges of designing technologies for personally meaningful engagement with nature, we designed ParkPal, a voice-based chatbot for people visiting a city park during a workday break, and conducted a Wizard of Oz trial at the park. Findings offer new insights into the role that interactive agents might play in enhancing time in nature, and point to the challenges that users encounter in personalising conversations with a chatbot guide. To address these challenges, we identify three avenues for future design and research, including attention to interpersonal aspects of chatbot design, designing for repeat visits, and alternative approaches for users to tailor the conversations. We offer design guidance relevant to creating effective interactive agents in a range of visitor settings.

CCS Concepts: • **Human-centered computing** → **Human computer interaction (HCI)**.

Additional Key Words and Phrases: Nature engagement, Visitor Guide, Informal Learning, Conversation design, Voice chatbot

ACM Reference Format:

Sarah Webber, Greg Wadley, and Chikako Fujioka. 2024. ParkPal: Design and Wizard of Oz trial of a voice-based nature guide. In *Proceedings of 36th Australian Conference on Human-Computer Interaction (OzCHI'24)*. ACM, New York, NY, USA, 23 pages. <https://doi.org/XXXXXXX.XXXXXXX>

1 Introduction

In an era marked by ecological crisis there is growing concern about people’s disconnection from nature [9, 45, 48, 74]. Contact with nature enhances human wellbeing [11, 52], and can promote appreciation and concern for the natural world [57, 79]. However, rapid urbanisation and loss of biodiversity [12, 37, 82] mean that many people lack regular exposure to healthy natural ecosystems [18, 81]. Furthermore, only a few have opportunities for interactions with knowledgeable family elders, educators, or community mentors, to cultivate substantial nature knowledge and familiarity [16, 28, 56, 59]. Interactions with such local nature experts can inspire curiosity and appreciation [28], engage existing interests and orientations [77], create personal connections with nature [28], and enable people to become familiar with specific ecosystems [21].

In this research, we investigated how a voice-based chatbot might simulate the experience of learning in-situ about nature from an expert. We focus on voice-based interaction, because we hypothesise that in natural settings there is greater acceptance of listening to music and audio content than visual modes of technology use: there are strong indications that people want to put their phones out of sight while in natural settings to avoid being engrossed in their online lives [23, 36]. In addition, screen-based technology presents usability challenges in bright sunlight and rain [31].

Authors’ Contact Information: Sarah Webber, s.webber@unimelb.edu.au; Greg Wadley; Chikako Fujioka, School of Computing & Information Systems, The University of Melbourne, Melbourne, Vic, Australia.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

© 2024 Copyright held by the owner/author(s). Publication rights licensed to ACM.

Manuscript submitted to ACM

Manuscript submitted to ACM

Conversational tools based on Large Language Models (LLMs) allow users easy, personalised access to information [63] and can now be accessed anywhere on mobile devices. Custom AI applications can be easily created (using e.g. OpenAI’s GPTs and Assistants API), can be trained on a supplementary knowledge base and can incorporate user-side information such as location data [5]. Multimodal models which can work simultaneously with text, images, video, and audio are predicted to further expand the capabilities and use-cases for conversational AI [33].

We explore the challenges of designing voice interactions that are engaging, informative, usable and acceptable for people relaxing at a city park. Our focus is on understanding how chatbot interactions can proactively guide people’s attention, offer significant information about the site, and nurture personally meaningful connections. Designing technology for nature engagement in daily life presents three interrelated design challenges. Firstly, technologies need to be compatible with, and appropriate to, the activities that people seek to take outdoors [40]. Secondly, they need to avoid intruding on people’s sensory experiences of nature [36]. Thirdly, they need to allow user agency and personalisation, to be relevant and pitched appropriately to the target audience, so as to foster a sense of relevance and connection [77, 86].

We designed a voice-based nature guide, ParkPal, for people spending time at an urban park (the System Garden, at The University of Melbourne) during a workday break. We conducted initial investigations into user preferences and information they sought about nature, through contextual inquiry at the park. From this, we developed a Wizard of Oz (WoZ) prototype, comprising chatbot scripts, protocols and supporting materials. We then ran a trial with 8 participants, gathering data through observations and semi-structured interviews.

Through this work we provide new insights to guide development and continued research into conversational technology for use in natural settings. Specifically, this work contributes:

- insights on the potential value and limitations of voice-based chatbots for nature engagement;
- guidance for design of conversational agents for nature engagement;
- reflections on challenges and future research directions for nature guide chatbots.

This work is of relevance to designers and researchers looking at conversational design and visitor technologies in a variety of settings, including museums, galleries and heritage sites.

2 Related Work

2.1 Nature engagement in urban settings

Engagement with nature includes diverse nature-focused activities, and can bring multiple individual and societal benefits. Modern cities offer few opportunities for citizens to develop an appreciation of nature [18, 81] due to biodiversity loss [12, 37]. Local green spaces such as parks and gardens are valued as opportunities for relaxation, active leisure, socialising and entertainment [49, 61]. Time in nature is linked to better physical and mental health, including reduction of stress and improved mood [11, 52, 57]. It can also cultivate an appreciation of nature and foster a sense of environmental responsibility and pro-environmental behaviours [52, 57, 76]. There is growing awareness of the broad social and political import of green spaces, including the significance of Indigenous peoples’ cultural and spiritual connections to country [17, 22].

Green spaces in cities are important sites for environmental education and conservation. The emerging field of urban ecology recognises that green spaces in towns and cities are crucial for biodiversity [6] and public participation in conservation and nature-based learning [1, 26, 62], which can enhance connection to nature [79]. In a city such as

Melbourne, physical and mental health, social participation and nature-based learning are fostered in urban green spaces such as community gardens [46] and urban parks [25].

Place-based learning about nature [1, 34] is especially effective when facilitated by a knowledgeable guide or educator. For example, tour guides at national parks in Australia play a pivotal role in connecting visitors with nature [7]. Broadly, the role of a tour guide includes facilitating physical access, interpreting and engendering understanding, enabling encounters and eliciting empathy [86]. In environmental tourism, the guide can also be expected to enhance visitors' appreciation, awareness and understanding of the site; and to promote thoughtful use of the site by minimising visitors' impact on fragile or overused areas [87]. Recent years have seen an increased emphasis on tour guides' co-creation of experiences with visitors, to foster personalised, interactive experiences which resonate with the individual [86].

2.2 Technology for nature engagement

Several threads of HCI research have explored the potential for digital technology to motivate, support, record and share users' engagement with nature. A recent review found that HCI researchers began to address nature engagement in the 1990s, with the topic becoming more prominent since 2016, and around 12 HCI publications annually since then [85]. This review points to varied roles for technology in promoting urban nature engagement, including installations at parks and green spaces [42, 67], interventions to aid families' learning about local nature [44, 75], camera-based systems to reveal backyard wildlife and natural phenomena [27, 72, 84] and digitally-augmented environmental education programs [24, 68].

While this work indicates a range of ways in which technologies might enhance and promote nature engagement, important concerns exist about potential negative impacts. One set of concerns relates to the richly meaningful and evocative sensory experiences of nature contact, and the risk that these might be supplanted by digital substitutes, or sanitised and simplified by technological framings such as gamification [41, 80]. A second area of concern is that by making encounters more convenient and comfortable, technologies will undermine those valued attributes of nature experiences which involve uncertainty, endeavour, resourcefulness and patience [53, 54]. A third issue is that many see nature experiences as an occasion to disconnect from mediated distractions and mundane communication demands [19, 78], and so are reluctant to use personal devices such as smartphones in nature. A series of "NatureCHI" workshops revealed the diverse challenges of designing technologies to be unobtrusive in the context of varied forms of outdoor recreation and direct nature contact [36].

It follows from the above that design of appropriate technologies for this context requires attending to a wide variety of sociocultural expectations about nature encounters. Furthermore, interventions need to be highly specific to the person, integrating with their primary intention for spending time outdoors, their interests and activities, their orientation to nature, and their individual sense of what is appropriate and desirable in terms of technology use in nature.

2.3 Conversation design for visitor experiences

Chatbots powered by LLMs, such as ChatGPT, offer new capabilities for personalised learning and information access. There is burgeoning interest in chatbots and conversation design for education [15, 38, 64] and informal learning [2, 4], including at visitor destinations such as museums, galleries and heritage sites [69, 83, 88]. This work extends a long history of research into the role of robots and other interactive technologies to deliver personalised guided tours in visitor settings [8, 51, 66].

157 The capacity of AI-powered chatbots for generating personalised learning experiences [43] is of particular interest
158 in the context of people’s varied motivations for spending time in nature. Tools that allow for question-and-answer
159 exchanges have the potential to promote deep learning and aid with managing cognitive load [47]. NLP and machine
160 learning technologies can also allow people to flexibly interrogate large datasets and online information sources
161 [3, 32], access information about their immediate surroundings from digital media [73], and to surface content which
162 corresponds to their prior knowledge, interests and preferences [60]. The present research investigates how this
163 technology might be leveraged for nature engagement, and the design challenges and opportunities that emerge,
164 through design and evaluation of a WoZ prototype chatbot.
165
166



167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
Fig. 1. The System Garden at University of Melbourne

3 ParkPal System Design

3.1 Context: The System Garden

This study was conducted at The System Garden (hereafter, “the Garden”) a small botanic garden housed within the University of Melbourne (see Figure 1). Historically, the Garden served important scientific and educational functions, and was much larger than its current size of approximately one acre. The Garden is an important green space in a larger urban precinct, surrounded by buildings and located close to a major city thoroughfare. The garden contains many botanical specimens (the “collection”), organised taxonomically in demarcated precincts and beds, and a small heritage building. It has been found to attract a variety of birds, mammals and reptiles, including species rarely seen

209 in urban settings. The Garden is intended to provide a space for teaching, including for visits from school groups,
210 and also a social space for relaxing, informal gatherings, and small-scale community events. Due to development of
211 surrounding buildings, the Garden is subject to ongoing change. It has been targeted for strategic redevelopment to
212 improve the biodiversity values and the presentation of botanic collections. One aim of this strategy is to provide
213 engaging interpretation, which is set to include digital information to supplement visitor signage and botanic labelling.
214
215

216 **3.2 Initial investigation: Visitor expectations of a nature guide**

218 All members of the research team visited the Garden to familiarise ourselves with the space and observe how it is used
219 by visitors during the workday. We gathered documentation about the site and its collections. We reflected on what
220 we found interesting about the site, what sparked our own curiosity, and noted significant features. We met with a
221 staff member of the horticulturalist team, who was knowledgeable about the gardens, the collections and how they are
222 managed. She was able to provide further information and answer our questions. This experience helped the researchers
223 to consider the characteristics of an expert guide with site-specific knowledge that might be desirable for visitors and
224 instantiatable in a chatbot nature guide.
225
226

227 We sought to understand people's preferences for spending time at the Garden setting and their expectations of a
228 nature guide. We conducted contextual interviews with people who spend their workday at the University. We invited
229 participants to explore the Garden, tell us about features they noticed, reflect on their experience, and ask any questions
230 that came to mind. We asked them what they might ask of a knowledgeable guide, reasons they might visit a site such
231 as this and how they would spend time there, things that would appeal to them and things they would find frustrating
232 or annoying in this setting. Subsequently, we described the concept of a voice-based chatbot as a nature guide, asked
233 them for their opinions on such a tool and how they might use it. Through this, we investigated how we might balance
234 provision of information with the intent to avoid disrupting nature engagement. Interviews were conducted with four
235 participants, graduate students in their 20s and 30s, who had varying degrees of familiarity with the Garden.
236
237


238 We analysed our data through affinity mapping, identifying three themes: guiding, unobtrusiveness and control of
239 the technology. All respondents were all excited about the idea of a voice-based chatbot to enhance their experience in
240 nature. In particular, they expressed a strong desire that the chatbot would direct them in the garden so that they would
241 avoid missing something interesting. The participants' views aligned with the research team's experience of meeting a
242 staff horticulturalist during a visit to the Garden.
243
244

245 Participants agreed with the idea that the technology should suggest activities designed to help them to relax and
246 enjoy the sensory experience of the Garden, and to help them learn more about plants. However, they also expressed
247 concerns about technology being disruptive to their own experience, causing noise and disrupting other people.
248 Participants said they would like to have control over the technology, that it should be responsive to their interests, and
249 should be more interactive than a recorded audio tour.
250
251

252 **3.3 Design of ParkPal**

253 We conducted a careful reading of literature on conversation design and interactive agents, as well as nature engagement
254 interventions. From this, we identified several interrelated aspects of design that need to be considered when creating
255 interactive agents for this setting. In designing ParkPal, a mobile app that combines a voice-based LLM-powered chatbot
256 with location awareness, our design decisions were informed by prior work in this domain, the contextual inquiry, and
257 pilot tests.
258
259
260

261 3.3.1 *Design decision: audience and scenario of use.* We designed ParkPal to be used by people visiting an urban park,
 262 during a workday break. It therefore follows that our users would be likely most interested in relaxation, either sitting
 263 or wandering at will in a green space. We envisaged that users would not inherently be seeking an educational or
 264 informative experience; while we hoped that ParkPal would pique their interest in the park’s natural features, we
 265 envisaged that this would be secondary to their aim of relaxing in nature. Our intervention was specifically designed
 266 for adults, in contrast to the large proportion of HCI research on nature engagement which targets children and young
 267 people [85].
 268
 269



295 Fig. 2. A section of the plan of the System Garden. The plan was the only visual content provided to participants.
 296
 297

298 3.3.2 *Design decision: modes of interaction.* To reduce its impact upon a user’s experience of nature, and reduce
 299 disruption of others nearby, we proposed ParkPal as a mobile application which people would interact with through
 300 voice only, wearing earphones and placing their phone in a pocket or bag. To emphasise this design decision, and focus
 301 on the experience of voice-based interaction, we created only a single screen for the app consisting of the site map (see
 302 Figure 2) with no additional written text or interactive on-screen features.
 303

304 3.3.3 *Design decision: user context awareness.* While many audio guides offer a prescribed route (or “tour”), or assume
 305 that visitors will visit predetermined locations in a site, in this design we sought to allow visitors to wander at will, or
 306 choose a specific location to visit at their discretion. This decision was in keeping with our intention that ParkPal should
 307 enhance a casual visit to a park for relaxation during a workday break. We propose that this can be achieved with
 308 existing technologies by obtaining user location through GPS and comparing this against database items to identify
 309 significant features and plants in proximity to the user. Furthermore, we determined that ParkPal would be able to
 310

313 predict direction of travel if a user moved along a path, and would also be able to estimate users' walking speed and
314 adapt the timing of content delivery, accordingly. We intended that it should be quick and easy for users to start using
315 ParkPal, and so we did not include any additional mechanisms to collect data about the user, beyond their GPS location
316 and information they provided in conversation.
317

318
319 *3.3.4 Design decision: underpinning technologies.* As LLM tools can be augmented by training on an additional knowl-
320 edge base, we envisaged that ParkPal would have GPT language capabilities supplemented by knowledge of the Garden,
321 plant and animal species found there, and the institution's database which contains georeferenced items representing
322 plant collections, buildings and other features. To determine user location, we selected GPS which is typically accurate
323 to within 5m outdoors, though this can be worsened by trees and buildings, so we designed for user positioning
324 accuracy in the range of 5-10 meters. These technology selections informed some of our decisions related to user context
325 awareness and information to be provided.
326
327

328
329 *3.3.5 Design decision: information to be provided.* The information offered by ParkPal was drawn from online sources
330 and the institution's botanic database. Given the large volume of potential content, information was selected based on
331 our own exploration of the gardens to identify salient and interesting features, as well as on the contextual interviews.
332 ParkPal content includes information about the Garden's history, the site and its evolution, the precincts and the
333 collections they each contain, and specific plants of significance, and wildlife species which have been observed there.
334 Aligning with place-based environmental education practices, we wrote scripts which would provide some information
335 and also encourage users to observe, explore, and pay close attention to natural features of the park. In addition, ParkPal
336 would recommend interesting areas to explore or quiet spots for relaxation, inform users about significant collections
337 and other features in their vicinity, and suggest activities to enhance sensory experience of the site, such as listening to
338 natural sounds, and touching leaves of plants. (See Appendix for examples of content).
339
340

341
342 *3.3.6 Design decision: levels of proactivity.* A focus of this project was to investigate how proactive a chatbot nature
343 guide should be, and associated effects on user experience and preferences. Our initial investigation indicated that a
344 proactive chatbot would be able to guide users and point out interesting features, but that a passive design would better
345 respond to respondents' desire to be in control, and would be less likely to disrupt a nature experience. To investigate
346 this issue more fully, we designed two modes for ParkPal, "Proactive Mode" and "Passive Mode", and designed the study
347 so that participants would experience both modes.
348

- 349 • In Proactive Mode, ParkPal offers information without being prompted. In selecting content to be delivered,
350 ParkPal makes use of the user's location and movement around the park, and information about their interests
351 if these could be inferred from their previous utterances and responses to previous content.
- 352 • In Passive Mode, ParkPal offers information only when prompted. ParkPal reminds users that they can ask a
353 question, and then remains silent, waiting for user queries or input.
354
355

356
357 *3.3.7 Design decision: chatbot personality.* We explored options for a personality for a nature guide chatbot. Our
358 decisions were informed by our positive interaction with the horticulturalist staff member, and our own experiences of
359 guided tours in nature. We outlined characteristics relating to domain expertise, extending beyond the specific site, to
360 be able to also answer broader, general questions, for example about relevant historical events, flora and fauna and
361 ecosystems. We noted that the horticulturalist was friendly, volunteered information in addition to the topics we asked
362 about, but provided information in short, conversational segments rather than as a short lecture. We noted also that the
363
364

horticulturalist’s authority was enhanced by perceptions of her expertise and her official status as a staff member of the institution.

We adjusted scripts so that they were not more than one minute long, but still provided some rich detail that visitors would be unlikely to know. Scripts were written to focus on information delivery, with little extraneous chat. We identified potential benefits of creating a distinctive personality and backstory for the chatbot, inspired by the horticulturalist that we had met. However, in the context of this research, in which we focus on voice interaction and levels of proactivity, we decided against giving the chatbot a strong identity, to avoid participants’ responses being coloured by their feelings towards the persona. We therefore developed a friendly but professional tone for ParkPal, aiming for a neutral demeanour, and selected a name which evokes a mobile app rather than a human tour guide.

4 Method: Wizard of Oz Trial

4.1 Employing WoZ in nature

Wizard of Oz (WoZ) prototypes have been implemented for many years in HCI research. This approach to a system mock-up, in which a human actor simulates technology, allows researchers to explore how people might react to and interact with an envisaged technology that might not become a reality until future technological advancements occur [20]. This offers opportunities for early explorations of future use and potential impacts of a hypothetical technology before it is developed, but also presents some limitations. For example, some have pointed out that these scenarios often represent human-human interactions rather than genuine human-computer interactions [65]. To address these concerns, we implemented several measures to ensure so that we could investigate users’ experiences using the envisaged AI-driven chatbot, ParkPal, rather than their interactions with the researcher simulating ParkPal. Firstly, we developed protocols and scripts which set out how the chatbot would communicate with our participants, perform validation and user feedback, and perform error handling and fallback if unable to find relevant information in response to a user request (see Appendix A for example scripts).

In accordance with WoZ reporting guidelines proposed by [70], we provide in this paper a clear statement regarding the technology capabilities (Section 3.3), participants’ information (Section 4.3) and the environment in which the test was taken (Section 3.1).

ParkPal was simulated by an actor, one of the researchers, who developed familiarity with the scripts, information and protocols through practice and piloting. Scripts and associated information were collated in a flip book, providing the actor easy access to specific scripts when required.

As ParkPal is conceived as a voice-based chatbot, we simulated it through a voice call between the actor and the participants, using the mobile app Zoom and its recording functionality. At the beginning of the session, participants connected to a Zoom session using the app their mobile device. We recommended they use earphones and inline mic to improve audibility in the outdoor setting, which is an appropriate setup for users of a voice-based chatbot, as an inline mic is generally recommended to ensure good speech recognition in outdoor settings.

4.2 Data collection and analysis

Participants met the researcher at the Garden at a scheduled time. In advance, they were provided with the study description, signed the consent form, and were directed to install the Zoom app on their phone. Participants were informed about the intent of the ParkPal nature guide, and that the study prototype would be delivered through a

417 simulation. They were asked to pretend that they were interacting via voice with an AI-powered chatbot, similar to
418 Alexa or Siri. The researcher aided the participant to connect to the Zoom session and started the recording.

419 The actor moved out of sight and then, in the role of ParkPal, provided a welcome message, and instructed the user
420 to say “Hey, ParkPal” to initiate a question or request, and to say “Stop” at any time to pause information delivery. Each
421 trial lasted 15 minutes and started in either Proactive Mode or Passive Mode, selected at random. After 8 minutes the
422 actor switched to the other mode, so that all participants experienced both modes. This transition was not announced.
423 During the trial, the actor observed the user’s behaviour and recorded memos afterwards, relistening to the session
424 recording to jog their memory.
425

426 After the trial, we conducted semi-structured interviews lasting approximately 30 minutes with participants, at the
427 Garden. We asked participants about ways in which ParkPal enhanced or interrupted their experience of the Garden,
428 and probed for specific examples of ways in which it encouraged them to engage more closely with their surroundings.
429 We enquired about their experience and preferences of interacting with ParkPal in both Proactive and Passive Modes,
430 the advantages and drawbacks of each mode. We asked for their input on the chatbot personality and their preferences
431 in that regard. Finally, we asked whether users would be likely to use a chatbot of this sort in non-urban nature settings
432 such as national parks and forests.
433

434 We conducted reflective thematic analysis to gain deeper insights from the interviews and researcher observations
435 of the trial [10]. All data was reviewed and analysed, at first independently by two researchers. Codes and themes were
436 developed iteratively and discussed by all authors. While one researcher (the actor) played the role of ParkPal, the other
437 two contributed to design decisions and took part in ParkPal pilots, analyzed data, and reflected on this experience and
438 their own perspective on nature engagement. Researchers brought this subjectivity to the analytic process [10]. Our
439 research questions evolved through this process, as is common in reflective thematic analysis. While our early focus
440 was on proactivity of a chatbot for use in nature, we broadened this to explore other design factors and technological
441 issues that shaped users’ experience of using ParkPal, and the chatbot’s impacts on people’s experience of the urban
442 nature setting.
443
444
445
446
447
448
449

450 4.3 Participants and Recruitment

451 We recruited eight people who spend their workday close to the Garden for our ParkPal user study. Participants were
452 recruited through the university’s newsletters and noticeboard and through researchers’ personal networks. Participants
453 included workers and graduate students, hailed from a range of cultural backgrounds, and ranged in age from 20s to
454 50s (see Table 1). In terms of prior use of voice assistants such as Siri and Alexa, two said they often used these in daily
455 life, one said they had used them occasionally, and the majority said that they did not use them at all. The majority
456 of participants reported occasional intentional visits to national parks, and two participants reported that they rarely
457 spend time in nature, preferring urban settings for recreation. Two of the participants had visited the Garden previously,
458 but said they had not spent much time there.
459
460
461
462
463

464 5 Findings

465 Here we present the results of observations of participants’ use of ParkPal and thematic analysis of interview data.
466
467
468

Table 1. Participant details

P#	Gender	Age range	Occupation	Cultural background
1	Female	20-29	Grad student	Kenyan
2	Female	20-29	Grad student	Chinese
3	Male	50-59	Academic	Aus
4	Male	20-29	Academic	NZ, Chinese
5	Female	20-29	Grad student	Chinese
6	Female	30-39	Academic	German
7	Female	20-29	Grad student	Aus, Indian
8	Male	30-39	Professional	Chinese, Aus

5.1 Utility and impacts of a chatbot nature guide

During the WoZ trial of ParkPal, all participants made active use of the nature guide while walking through the gardens, requesting information about specific plants and about the history of the garden and its layout. On average, participants visited approximately half of the Garden area. All demonstrated an interest in actively exploring.

In interviews, the majority of participants commented favourably that ParkPal prompted them to visit areas of the park and see things they wouldn't otherwise have seen, as exemplified by the following comment: "I don't think I would have even found the rainforest area over there, which I really like that the AI pointed out [...] it was very useful" (P7). ParkPal led the participants to stop and notice interesting things they would otherwise have "just walked past" (P4), "go back and look at another feature that I missed" (P7), and to "stop and look around, trying to find [a specific tree]" (P1). The information provided by ParkPal was welcomed by most of the participants, being described, for example, as "very valuable" (P6) and in line with "the questions that I usually want to find out about anyway" (P4). It was noted that signage and species labels were only sparsely provided in the gardens and so ParkPal helped them to "know more of the features there, more about the plants because there's not much information" (P7).

Two participants expressed concerns about using technology of any sort in nature. One expressed a disinclination to use audio guides and apps when visiting sites such as museums, and expressed concerns about data privacy (P6). Although they found the experience "surprisingly pleasant", "interesting and really engaging" they thought that a printed booklet could be preferable as it would be "less disruptive" and avoid the use of phones altogether. Another felt that any use of a smartphone was problematic as "once you're actually on your phone, you've got all the functions available to you. And the temptation is then to open something else" (P3).

Nuanced concerns about the impact of a chatbot nature guide were also expressed. For a couple of respondents, even those who appreciated the information provided, using the guide seemed to clash to some extent with their desire for a relaxing, sensory experience of nature. For example, one respondent said "it's nice to just appreciate the view, I don't go specifically go out looking to learn about plants" (P1). Similarly, P3 commented that "whilst it's useful to learn some information about what that plant that that tree is out there [...] what's essential primarily is the experience of just being immersed in nature", ultimately stating "I'm feeling quite ambivalent about it now" (P3). We probed other participants on this issue, and found that this was not the case across the board. For example, one said "I don't feel like I missed any immersive experience within the park. I think the ParkPal actually helps me to feel more" (P7).

For the two participants who noted impacts on sensory immersion, it also seemed that ParkPal had a framing effect on their time in nature. Specifically, being prompted to ask for information about the gardens meant that participants had to put cognitive effort into finding questions to ask. For example, during the trial P1 found themselves thinking

521 “maybe I should wonder more about this stuff”, commenting also “but sometimes you don’t want to think”. For P3, being
522 provided information about the gardens before the visit, before experiencing them sensorially, would be problematic.
523 They compared the aesthetic experience of the park to visiting an art gallery, stating “What I don’t want to do is read
524 the plaque about the painting beforehand, certainly beforehand, and sometimes not even till afterwards, or the second
525 time I go and see the exhibition. Because I mean that shuts down, that prescribes how you experience the art and how
526 you experience the vision, right?” (P3).
527

528 We were curious as to whether people thought they would use a guide such as ParkPal in non-urban settings such
529 as national parks. One participant commented that they would appreciate the guide if they were doing an extended
530 hike: “I’d certainly get bored. So it would be good to have an enhancement that lessens the boredom of being there.”
531 (P3). However, it seemed that in the context of this trial and interview, most participants struggled to imagine the
532 distinctions between the urban nature setting and a visit to a forest or national park. This question would therefore
533 require further investigation.
534
535

536 5.2 Experiences of voice-based interaction in nature

537 Participants responded enthusiastically to the potential for a chatbot nature guide with geolocation capabilities. Audio-
538 based conversation was seen to be a good way to learn about nature in situ, found to be “like a podcast” (P2) and easier
539 than reading signage (P2, P4), a way to learn which didn’t disrupt the flow of exploring (P8), and which avoids having
540 to look back and forth between objects of interest and written information (P4). This form of information delivery was
541 felt to be far preferable in this context to seeking information on the phone screen “which is so distracting and not
542 really enjoyable for me” (P2).
543
544

545 We were curious as to whether participants would find that receiving auditory information interrupted their
546 experiences of the sounds of nature. We found that listening to digital content in urban nature settings is common
547 practice for some people, with half of our participants reporting that they regularly listen to music or podcasts while
548 walking in parks. However, three of our participants were concerned that they might miss out on the “natural sounds
549 from the park, like the birds or maybe the trees, the wind” (P2). One participant had especially strong reservations
550 about blocking out nature sounds, and stated that they “seldom use headphones” (P3). Although this participant rarely
551 spent time in nature, they stated “I would never walk through a forest or bush listening to music. Why? Because I
552 want to hear the sounds. I want all the total sensual experience” (P3). We suggested to participants that they might
553 prefer to wear just one earbud so that they could simultaneously hear the sounds of nature. While some participants
554 followed this approach, at least one participant found this unsatisfactory, stating “I wasn’t really experiencing either
555 thing properly, so I just kept it in” (P4).
556
557

558 A greater area of concern for our participants was that speaking aloud to a chatbot might disturb others or be socially
559 inappropriate. They stated for example that they worried about disturbing other people in the gardens (P4, P6), that
560 they would be self-conscious about using it if there were other people around (P7, P6) and that it would be “weird” to
561 use it if they were in a group with others (P5). One participant likened the garden setting to a church, “you’re meant
562 to be quiet” (P3) and was worried that they had disturbed people or committed a faux pas when they saw a security
563 guard approaching. Participants suggested that this could be avoided by more proactive information delivery (P4) or by
564 providing buttons to choose between information offerings (P6).
565
566

567 Participants responded positively to the idea of conversational information delivery. As we will discuss (see Section
568 5.4), this is partly because it allowed for tailoring the information to their own interests. However, participants also
569 mentioned that ParkPal would allow them to experience a park “with someone” (P2), that the experience would be “like
570
571
572

573 talking to a tour guide” (P8), and could feasibly be an incentive for some to get into nature because they “won’t be
574 lonely” (P3). When we probed participants as to how they would interact with a chatbot to minimise unwanted content
575 and get information of interest, people reported they would want to avoid being rude, saying for example “you want to
576 treat it like a person” (P4). Prompted to describe the desired chatbot personality for a nature guide, some participants
577 had clear preferences, for example that it should be “outdoorsy” (P7), or to-the-point rather than chatty (P4). Others
578 suggested that it should be configurable in terms of its style of conversation (P5) voice pitch (P7) or by assigning a
579 celebrity’s voice (P3).
580
581

582 583 584 **5.3 Proactivity of chatbot: benefits and pitfalls** 585

586 An important focus of this study was the level of proactivity that participants would prefer of a nature guide chatbot.
587 Exploring this question with participants, we found it was connected with a range of other design issues including
588 verbosity, user control, personalisation and contextual awareness.

589 Proactivity was found to be beneficial primarily because the chatbot volunteered information about items of interest
590 that users might not have noticed. The unsolicited suggestions were helpful for “suggesting what to do next”, encouraging
591 them to explore other areas (P4), and pointing out things of significance that they might not be aware of (P3). This
592 approach was particularly important on first usage as it allowed users to understand the capabilities of the chatbot (P6).
593

594 When in Proactive Mode, the chatbot was configured to provide more information without needing to be prompted
595 than when in Passive Mode. Several participants expressed a preference for proactivity, and for verbosity, to not have to
596 prompt for information. For example, P7 would have liked to learn about more of the gardens saying they would have
597 “preferred a bit more information just because there were a lot of different trees and different features around”. Similarly,
598 P2 was hoping to hear more information, in greater depth, and P1 felt “a little lost” when the delivery stopped.
599

600 On the other hand, we also saw proactivity was problematic in some instances partly because it was more verbose.
601 For example, P5 preferred that the guide provide only the response to their question, without extraneous information.
602 The verbose chatbot was an interruption to the nature experience for P1 who wanted “to just appreciate the view... I
603 don’t go out looking to learn about plants”, and for P6, who preferred the Passive Mode “because I had time to look
604 around and experience the surroundings without interruption”. P8 and P3 felt that the Passive Mode gave them more
605 control; as P3 explained this allowed them “to continue the conversation, as it were, if I wanted to” (P3).
606

607 Getting the level of verbosity right to please all users might be difficult, as a couple of our participants noted. P1
608 drew parallels to the information on visitor signage, noting that “sometimes it’s just too much”, and questioned how
609 the chatbot would determine how much information the user wants, stating “personally I wanted more, other people
610 might want less” (P1). Reflecting on the quantity of information they would find ideal, P7 stated that they would have
611 liked to get more suggestions of things to look at, “but not too much, not bombarding, but in a way that’s well paced”
612 (P7). One solution suggested was to give users control over the level of proactivity (P4), or offer the choice between a
613 guided tour versus a passive chatbot (P1).
614
615

616 On the other hand, two participants described that it was difficult for them to know what to ask about when the
617 chatbot was in Passive Mode. One said, “I didn’t really know what to ask about at that point [and] I haven’t thought
618 about what I wanted to see” (P1), and the other that “I needed to think of something to say first (P4). This points to the
619 limitations of giving users control to initiate information-seeking conversations in a place and on topics that they are
620 unfamiliar with.
621
622
623

5.4 Importance of personalisation and user control

An important insight regarding nature guide proactivity was that unsolicited information is generally appreciated by users if it matches their interests. For example, P3 expressed an interest in fruiting plants and an espalier, and was later pleased to be offered information about a wasabi plant. It is notable that P3 was generally resistant to the proactive approach. They noted that “if someone had not expressed any interest whatsoever in the fruiting plants or for that matter any of those plants, then it would be disruptive and sort of illogical to start talking about it ”(P3). Similarly, P4 felt that the guide should be passive and allow the user control except “when it detects I have a clear goal in mind” (P4). They imagined that this might be best achieved by monitoring the user’s walking trajectory; if this indicates a specific destination or interest, then it would be appropriate to offer information, however, the user might prefer to not be interrupted if “I’m just walking” (P4). This suggests an ideal envisaged state in which the guide should fully understand users’ interests and intentions.

As part of the introductory user instructions, participants were informed that they could pause the chatbot at any time by telling it “stop”. We were curious as to why participants did not make use of this feature, despite some preference for less verbosity. Respondents indicated that they liked to have the option to stop the information delivery if they found it inconvenient (P7), but would generally would prefer to simply “tune out” rather than stop it (P6). Some expressed a reluctance to be “rude” even to a chatbot (P4), while others thought that it might say something of interest (P6, P4). Further investigation on this point would be necessary, given that participants were aware that in our simulation the role of the chatbot was being performed by a human, and so might have been more likely to avoid a discourteous request to stop.

5.5 Importance of contextual awareness

To deliver relevant information to users, our actor relied heavily on contextual and behavioural cues to make inferences about potential topics of interest and the user’s intentions. Information was tailored to individuals’ interests and prior questions. When participants walked away from an area, that was interpreted as their having lost interest and so previous topics were dropped in favour of information about the areas and items they were moving towards. When people paused to look at a plant, the actor avoided giving instructions or general information. This ability to “read the room” relied on familiarity with the site, its precincts and significant features, as well as the participant’s location, speed of movement, and orientation. It was noticeable for participants when there was a mismatch between content and context. For example, on occasion people were asked to listen to the sounds of nature (as part of a default script) but this turned out to be a poor experience when there was nothing interesting to be heard.

Several participants found it difficult to ask questions about aspects of the garden that they were unfamiliar with. For example, asking for information about a specific plant could be difficult “when you’ve never actually described the plant before” (P1), when there was no identifying label on site, or if the name was in Latin or “really complicated” (P8). More broadly, participants struggled to ask for information about a site with which they had very little familiarity and which they were visiting with no specific goal in mind (P4).

To address these challenges, participants suggested that the chatbot would be improved through more precise geolocation information, supplemented by awareness of their interests. It was suggested that this would improve on suggestions for specific precincts or trails (P1), and help ensure they don’t miss significant items close at hand (P7). Combined with prior knowledge of the user this would allow the chatbot to direct them to features of specific personal interest to them (P3). P4 hoped that more precise location information would enable the chatbot to predict where they

would go next, and “offer me explanations before I even asked for them”. An alternative to precise geolocation could be QR codes, suggested by P8, enabling them to easily request information about things they see without the challenge of providing a clear, specific description.

Related challenges encountered by the actor and participants relate to using deictic words (such as “over there”, “this plant”), to indicate specific features, and directional language to provide guidance. Participants wanted to ask the chatbot to provide information about “this plant”, indicated by pointing or “that tree over there” (indicated by direction of gaze and head movement) and found it challenging to instead have to provide a verbal description of the flora (P1). The actor attempted to time directions and guidance to match the user’s location, while deliberately ignoring gestures, but information sometimes came too late (much as would happen if relying on GPS for user location), which caused some confusion and required corrections (P5). Similarly, given that GPS alone would not provide reliable information about which way a visitor is facing, the chatbot gave directions using compass directions rather than left / right, which P2 and P5 noted to be confusing.

6 Discussion

We here discuss the findings of our user study, propose avenues for design to address the challenges we uncovered, and outline future research towards designing a usable and appropriate nature guide chatbot.

6.1 The promise and limits of a nature guide chatbot

In this study we investigated how a voice-based chatbot might emulate a (human) nature guide, in a way that could encourage attending to, understanding and appreciating natural surroundings.

We find evidence that technology can inspire people to explore and discover new things in their surroundings, as part of an undirected visit, by pointing out significant features and hidden areas, and offering information. Participants valued being directed towards areas that they didn’t previously know about and having plants indicated to them that they might otherwise have passed by. This affirms the role that technology can play in helping people notice and become familiar with nature [85]. It also demonstrates that a conversational agent can augment user-led exploration (see e.g. [44]) while stopping short of a structured educational experience (e.g. [68]). For many participants, this enhanced their time in the park and was of value, during this one-off visit, for people interested to learn about these topics.

We note however, that social and interpersonal dimensions of learning about nature from a human expert were largely absent from our design, and require further attention. We saw only weak indications of social engagement engendered by the chatbot, and our participants had little of substance to contribute regarding the design of an effective and engaging personality for ParkPal. By contrast, human nature guides can be highly inspiring for their audiences, as they provide an opportunity to learn from someone highly knowledgeable about the site and who cares for the environment. There is a need for further research, integrating insights from visitor studies [86], and design of chatbots’ social characteristics [13] with a focus on credibility [30]. A key question to be investigated is whether a chatbot can emulate the interpersonal effects of learning from an expert, and engage users through a sense that they are involved in a community of people who care about, and attend to nature.

6.2 Beyond proactivity: offering personally meaningful nature content

Our findings offer new depth of insight into the challenges of designing proactivity, personalisation and user agency into a chatbot nature guide. We envisaged that a chatbot would provide a highly individualised nature engagement, however it is apparent from our study that new approaches are needed to offer users control and help develop personal

connections with nature. Unsolicited information delivery, offered at the beginning of the trial session and during Proactive Mode, was found to be of great benefit in revealing to users interesting things that they might otherwise have missed, and pointing them towards area of the gardens that they did not know to investigate. However, users also seek control over UX and agency in their nature encounter, and this needs greater attention as relevant mechanisms offered in ParkPal were underutilised. People struggled to ask meaningful questions when ParkPal was in Passive Mode, and while they may have specific interests which have relevance to nature, they need additional support to make these connections. To enable people to access nature content in situ that speaks to their own interests, we identify two ways in which a chatbot can better simulate a skilled nature guide.

Firstly, drawing on techniques for building rapport, pertinent to tour guiding [35] and chatbot design [50], a chatbot can ask the user about what they hope to get out of their time in at the site, about their background and their day so far. This can provide indications of the user's orientation to nature and their preferences regarding chattiness. It may also elicit information about their broader interests that might be used as hooks for nature engagement, or to select topics likely to be of interest.

Secondly, a chatbot can propose topics and see whether any arouse the user's curiosity. As part of an introductory overview of the site, ParkPal could describe several of the park's significant collections and features and some of the ways that people use the space (e.g. relaxation, mindfulness, nature appreciation). The chatbot could then ask the user if they would like more information about any of the topics mentioned. The information offerings can be created to appeal to the types of visitors that frequent the park. For this, we can draw inspiration from environmental education in organisations such as zoos, which focus on topics of relevance to their target audience in their presentations [29, 55]. For example, a common topic in zoos' public-facing communication is the challenge of rearing young animals, as this appeals to a primary target audience: families with young children. Additional research would be needed to validate appropriate topics for an urban park visited by workers and students. We can envisage that these might include recent wildlife observations, practical uses of plants in the collection, alternative strategies for using nature experiences to enhance wellbeing, and Indigenous perspectives on the importance of caring for country.

6.3 Signalling objects of interest in nature

For a park visitor with little nature knowledge, indicating specific features by voice presents several challenges. Generally, visitors lack the specific vocabulary to accurately describe what they see, and scientific terminology used by the chatbot might be misunderstood. Framing questions precisely is difficult without knowing relevant details, and limited observational skills hinder the visitor's ability to notice significant features. In conversation with a human guide, signalling would rely on deictic expressions like "this tree", "that bird" or "over there". Designing for deictic interactions with robots is an area of continued interest [58] but there has been relatively little attention to options for overcoming this limitation when communicating with a chatbot. This challenge is shared with other settings including museums and cultural heritage sites but takes on a particularly problematic form in a nature setting, where animals can arrive and depart unexpectedly and quickly, and where the appearance of plants and other features changes seasonally.

Evidently, use of photographs and multimodal chatbots will offer new approaches to address this challenge [33]. In particular, integrating computer vision will allow users to identify and ask about unknown species [39]. Similarly, including images in information delivered by the chatbot will help users to distinguish specific plants, animals and landmarks in their environment. We note that this avenue raises concerns about screen-based interaction, given people's preferences to put phones away when in nature. It also would entail further design research to ascertain to what

781 extent it is sufficient to provide users stock images (drawn from e.g. Wikimedia Commons), and in what cases recent,
782 site-specific images are required, to communicate information about the item in its context.
783

784 **6.4 Appropriate technology for urban parks**

785 There are clearly multiple design challenges involved in designing technology-based interventions to integrate with
786 park visits in a way that strengthens attention to nature rather than distracting from it. We found further evidence that
787 some people seek uninterrupted sensory immersion in nature and prefer an experience free of technology if their aim is
788 to relax and clear their minds. However, our study also affirmed that others already incorporate technology into their
789 relaxation in parks, for example by listening to music or podcasts. In addition, people worry that using technology in
790 public might disturb others, or seem inappropriate. But it seems that this is becoming more accepted due to changing
791 social norms. We note also that our participants were first-time visitors to a park, and that aims, preferences and habits
792 change with repeat visitation in nature settings and in other visitor contexts, such museums and galleries [14, 71].
793

794 To accommodate these concerns and differing preferences, we identify two alternative strategies which warrant
795 further investigation. The first could include offering the option of incorporating interaction through on-screen buttons
796 and written responses for situations where voice-based interaction is uncomfortable. Again, this raises additional design
797 challenges to accommodate some users' preferences to avoid screen-based interaction. A second approach involves
798 providing content that can be consumed before or after the visit, to appeal to users who do not want to use technology
799 in situ. For example, updates on nature at the park - such as information about seasonal changes and new plantings -
800 could be delivered for a user to consume during their commute to work, or at their office desk.
801

802 **6.5 Future Work**

803 In summary, our findings and proposed avenues for design and raise three important additional topics that will require
804 attention in progressing towards designing a suitable chatbot nature guide.
805

806 Firstly, we find that social and relational aspects of chatbot design will play a substantial role in helping visitors
807 to engage with local nature and understand its significance. Chatbot personality and interpersonal interactions will
808 be intrinsic to helping connect users to nature-related topics that have personal relevance, and to feel connected to a
809 community of people who appreciate the park. We note that participants had varied ideas as to the ideal personality for
810 a nature guide chatbot, and several wanted to be able to configure it. It is necessary to explore how a chatbot persona
811 – including, for example, name, face, backstory and tone of voice – can be crafted and presented in such a way as to
812 engender a sense of connection with a respected expert or institution.
813

814 Secondly, this user study affirms the importance of careful design of agency, and signals that it is not sufficient to
815 encourage users to ask their own questions. Additional research is needed to design and evaluate approaches such as
816 incorporating multimodal interaction, emulating a tour guide's rapport-building conversation and eliciting responses to
817 a range of possible topics.
818

819 Thirdly, our user study involved a one-off interaction by users who had little prior exposure to our chosen nature site,
820 but we recognise the importance of designing for repeated contact and continued connections with nature. Significant
821 opportunities warrant further investigation, including providing information about Indigenous connections to country,
822 cultural significance and traditional uses of the site, and Indigenous knowledge about the flora and fauna and ecosystems
823 within the collection. It might also include seasonal events such as plants' changing colours, growth and blooming,
824 birds' hatchings and migrations, and lifecycles of frogs and insects. In addition, visitors' attention might be drawn to
825

833 changes brought about by new plantings and environmental shifts associated with global warming, including arrival of
834 species not previously observed at this site.

835 Our findings provide a foundation for studies with larger and more diverse cohorts, and investigation of users'
836 preferences and behaviour in remote nature sites as well as urban green spaces.
837

839 7 Conclusion

841 Our study addresses urban societies' disconnection from nature and explored how a voice-based chatbot could be
842 designed to simulate the experience of conversing with a local nature expert. We designed and trialled ParkPal, a
843 chatbot nature guide intended for use by individuals visiting a city park during workday breaks. Our design research
844 outlines important decisions that must be made when creating effective interactive agents for nature use, providing
845 guidance to others researching technology for nature engagement and visitor experiences.
846

847 The trial data offer nuanced understandings as to the potential of interactive agents for enhancing nature experiences,
848 especially the value of helping people notice aspects of nature they might otherwise overlook. We find also that a
849 chatbot can pique users' curiosity by connecting to their existing interests, but that additional research and design is
850 needed to address the challenges that users face in personalising content to their interests, making enquiries about
851 unfamiliar plants, and exercising choice and control over the flow of conversation. We suggest ways to address this,
852 including building rapport through warm-up conversations, proposing audience-relevant topics for users to choose
853 between, and investigating use of multimodal chatbots. Consequently, we have identified three key directions for future
854 design and research: exploring the social and interpersonal aspects of chatbot design, developing alternative approaches
855 for users to guide the conversation, and designing for repeat visits.
856

857 Our study provides a foundation for future explorations into how digital technology can enhance incidental nature
858 contact, and enable people to develop awareness and appreciation of local nature. More broadly, our findings have
859 application to other visitor settings, providing guidance for design of interactions which can foster personally meaningful,
860 tailored experiences.
861

865 References

- 866 [1] Jennifer D. Adams and Brett Branco. 2017. Extending Classrooms into Parks Through Informal Science Learning and Place-Based Education.
867 In *Preparing Informal Science Educators: Perspectives from Science Communication and Education*, Patricia G. Patrick (Ed.). Springer International
868 Publishing, Cham, 337–354. https://doi.org/10.1007/978-3-319-50398-1_18
- 869 [2] Tufan Adiguzel, Mehmet Haldun Kaya, and Fatih Kürşat Cansu. 2023. Revolutionizing education with AI: Exploring the transformative potential of
870 ChatGPT. *Contemporary Educational Technology* 15, 3 (July 2023), ep429. <https://doi.org/10.30935/cedtech/13152> Publisher: Bastas.
- 871 [3] Evgenios Agathokleous, Costas J. Saitanis, Chao Fang, and Zhen Yu. 2023. Use of ChatGPT: What does it mean for biology and environmental
872 science? *Science of The Total Environment* 888 (Aug. 2023), 164154. <https://doi.org/10.1016/j.scitotenv.2023.164154>
- 873 [4] Farhan Ali, Doris Choy, Shanti Divaharan, Hui Yong Tay, and Wenli Chen. 2023. Supporting self-directed learning and self-assessment using
874 TeacherGAIA, a generative AI chatbot application: Learning approaches and prompt engineering. *Learning: Research and Practice* 9, 2 (July 2023),
875 135–147. <https://doi.org/10.1080/23735082.2023.2258886>
- 876 [5] Miada Almasre. 2024. Development and Evaluation of a Custom GPT for the Assessment of Students' Designs in a Typography Course. *Education
877 Sciences* 14, 2 (Feb. 2024), 148. <https://doi.org/10.3390/educsci14020148>
- 878 [6] Myla FJ Aronson, Christopher A Lepezyk, Karl L Evans, Mark A Goddard, Susannah B Lerman, J Scott MacIvor, Charles H Nilon, and Timothy
879 Vargo. 2017. Biodiversity in the city: key challenges for urban green space management. *Frontiers in Ecology and the Environment* 15, 4 (2017),
189–196. <https://doi.org/10.1002/fee.1480>
- 880 [7] Elizabeth A. Beckmann. 1999. Evaluating Visitors' Reactions to Interpretation in Australian National Parks. *Journal of Interpretation Research* 4, 1
881 (April 1999), 5–19. <https://doi.org/10.1177/109258729900400102>
- 882 [8] Benjamin B. Bederson. 1995. Audio augmented reality: a prototype automated tour guide. In *Conference Companion on Human Factors in Computing
883 Systems (CHI '95)*. Association for Computing Machinery, New York, NY, USA, 210–211. <https://doi.org/10.1145/223355.223526>

- 885 [9] Thomas Beery, Anton Stahl Olafsson, Sandra Gentin, Megan Maurer, Sanna Stålhammar, Christian Albert, Claudia Bieling, Arjen Buijs, Nora
886 Fagerholm, Maria Garcia-Martin, Tobias Plieninger, and Christopher M. Raymond. 2023. Disconnection from nature: Expanding our understanding
887 of human–nature relations. *People and Nature* 5, 2 (2023), 470–488. <https://doi.org/10.1002/pan3.10451>
- 888 [10] Virginia Braun and Victoria Clarke. 2021. One size fits all? What counts as quality practice in (reflexive) thematic analysis? *Qualitative Research in*
889 *Psychology* 18, 3 (2021), 328–352. <https://doi.org/10.1080/14780887.2020.1769238> Place: United Kingdom Publisher: Taylor & Francis.
- 890 [11] Colin A. Capaldi, Holli-Anne Passmore, Elizabeth K. Nisbet, John M. Zelenski, and Raelyne L. Dopko. 2015. Flourishing in nature: A review
891 of the benefits of connecting with nature and its application as a wellbeing intervention. *International Journal of Wellbeing* 5, 4 (Dec. 2015).
892 <https://doi.org/10.5502/ijw.v5i4.449>
- 893 [12] Bradley J. Cardinale, J. Emmett Duffy, Andrew Gonzalez, David U. Hooper, Charles Perrings, Patrick Venail, Anita Narwani, Georgina M. Mace,
894 David Tilman, David A. Wardle, Ann P. Kinzig, Gretchen C. Daily, Michel Loreau, James B. Grace, Anne Larigauderie, Diane S. Srivastava, and
895 Shahid Naem. 2012. Biodiversity loss and its impact on humanity. *Nature* 486, 7401 (June 2012), 59–67. <https://doi.org/10.1038/nature11148>
- 896 [13] Ana Paula Chaves and Marco Aurelio Gerosa. 2021. How Should My Chatbot Interact? A Survey on Social Characteristics in Human–Chatbot
897 Interaction Design. *International Journal of Human–Computer Interaction* 37, 8 (May 2021), 729–758. <https://doi.org/10.1080/10447318.2020.1841438>
- 898 [14] Yunseon Choe, Michael A. Schuett, and Kyu-Won Sim. 2017. An analysis of first-time and repeat visitors to Korean national parks from 2007 and
899 2013. *Journal of Mountain Science* 14, 12 (Dec. 2017), 2527–2539. <https://doi.org/10.1007/s11629-017-4387-y>
- 900 [15] Fabio Clarizia, Francesco Colace, Marco Lombardi, Francesco Pascale, and Domenico Santaniello. 2018. Chatbot: An Education Support System for
901 Student. In *Cyberspace Safety and Security*, Arcangelo Castiglione, Florin Pop, Massimo Ficco, and Francesco Palmieri (Eds.). Springer International
902 Publishing, Cham, 291–302. https://doi.org/10.1007/978-3-030-01689-0_23
- 903 [16] Susan Clayton, Agathe Colléony, Pauline Conversy, Etienne Maclouf, Léo Martin, Ana-Cristina Torres, Minh-Xuan Truong, and Anne-Caroline
904 Prévot. 2017. Transformation of Experience: Toward a New Relationship with Nature. *Conservation Letters* 10, 5 (2017), 645–651. <https://doi.org/10.1111/conl.12337>
- 905 [17] Benjamin Cooke. 2020. The politics of urban greening: an introduction. *Australian Geographer* 51, 2 (April 2020), 137–153. <https://doi.org/10.1080/00049182.2020.1781323>
- 906 [18] Daniel T. C. Cox, Danielle F. Shanahan, Hannah L. Hudson, Richard A. Fuller, and Kevin J. Gaston. 2018. The impact of urbanisation on nature dose
907 and the implications for human health. *Landscape and Urban Planning* 179 (Nov. 2018), 72–80. <https://doi.org/10.1016/j.landurbplan.2018.07.013>
- 908 [19] Richard Coyne. 2014. Nature vs. Smartphones. *Interactions* 21, 5 (Sept. 2014), 24–31. <https://doi.org/10.1145/2656933>
- 909 [20] N. Dahlbäck, A. Jönsson, and L. Ahrenberg. 1993. Wizard of Oz studies - why and how. *Knowledge-Based Systems* 6, 4 (Dec. 1993), 258–266.
910 [https://doi.org/10.1016/0950-7051\(93\)90017-N](https://doi.org/10.1016/0950-7051(93)90017-N)
- 911 [21] Michele Dale and Moni Carlisle. 2008. Familiarity breeds context: delivering environmental education through local awareness, Jennifer Pearson
912 (Ed.). Australian Association for Environmental Education, Darwin, NT, Australia, 21–27. <https://researchonline.jcu.edu.au/54108/>
- 913 [22] Lisa de Kleyn, Laura Mumaw, and Helen Corney. 2020. From green spaces to vital places: connection and expression in urban greening. *Australian*
914 *Geographer* 51, 2 (April 2020), 205–219. <https://doi.org/10.1080/00049182.2019.1686195>
- 915 [23] Janet E. Dickinson, Julia F. Hibbert, and Viachaslau Filimonau. 2016. Mobile technology and the tourist experience: (Dis)connection at the campsite.
916 *Tourism Management* 57 (Dec. 2016), 193–201. <https://doi.org/10.1016/j.tourman.2016.06.005>
- 917 [24] Rachael C. Edwards and Brendon M. H. Larson. 2020. When screens replace backyards: strategies to connect digital-media-oriented young people
918 to nature. *Environmental Education Research* 26, 7 (July 2020), 950–968. <https://doi.org/10.1080/13504622.2020.1776844>
- 919 [25] Paul Fleckney. 2023. ‘A little escape dome’: Exploring how older adolescents experience urban parks as sites of mental wellbeing in Melbourne,
920 Australia. *Landscape and Urban Planning* 235 (July 2023), 104753. <https://doi.org/10.1016/j.landurbplan.2023.104753>
- 921 [26] Erin Gallay, Alisa Pykett, Morgan Smallwood, and Constance Flanagan. 2020. Urban youth preserving the environmental commons: student
922 learning in place-based stewardship education as citizen scientists. *Sustainable Earth* 3, 1 (May 2020), 3. <https://doi.org/10.1186/s42055-020-00026-1>
- 923 [27] William Gaver, Andy Boucher, Michail Vanis, Andy Sheen, Dean Brown, Liliana Ovalle, Naho Matsuda, Amina Abbas-Nazari, and Robert Phillips. 2019.
924 My Naturewatch Camera: Disseminating Practice Research with a Cheap and Easy DIY Design. In *Proceedings of the 2019 CHI Conference on Human*
925 *Factors in Computing Systems (CHI '19)*. Association for Computing Machinery, New York, NY, USA, 1–13. <https://doi.org/10.1145/3290605.3300532>
- 926 [28] Bryan S. R. Grimwood, Michelle Gordon, and Zachary Stevens. 2018. Cultivating Nature Connection: Instructor Narratives of Urban Outdoor
927 Education. *Journal of Experiential Education* 41, 2 (June 2018), 204–219. <https://doi.org/10.1177/1053825917738267>
- 928 [29] Sam H. Ham and Edwin E. Krumpe. 1996. Identifying Audiences and Messages for Nonformal Environmental Education— a Theoretical Framework
929 for Interpreters. *Journal of Interpretation Research* 1, 1 (April 1996), 11–23. <https://doi.org/10.1177/109258729600100103>
- 930 [30] Christina N. Harrington and Lisa Egede. 2023. Trust, Comfort and Relatability: Understanding Black Older Adults’ Perceptions of Chatbot Design for
931 Health Information Seeking. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems (CHI '23)*. Association for Computing
932 Machinery, New York, NY, USA, 1–18. <https://doi.org/10.1145/3544548.3580719>
- 933 [31] Eric Harris, Geraldine Fitzpatrick, Yvonne Rogers, Sara Price, Ted Phelps, and Cliff Randell. 2004. From snark to park: lessons learnt moving
934 pervasive experiences from indoors to outdoors. In *Proceedings of the fifth conference on Australasian user interface - Volume 28 (AUIC '04, Vol. 28)*.
935 Australian Computer Society, Inc., AUS, 39–48. <https://doi.org/10.5555/976310.976316>
- 936 [32] Hossein Hassani and Emmanuel Sirmal Silva. 2023. The Role of ChatGPT in Data Science: How AI-Assisted Conversational Interfaces Are
937 Revolutionizing the Field. *Big Data and Cognitive Computing* 7, 2 (June 2023), 62. <https://doi.org/10.3390/bdcc7020062>

- 937 [33] Alexander Henlein, Anastasia Bauer, Reetu Bhattacharjee, Aleksandra Ćwiek, Alina Gregori, Frank Kügler, Jens Lemanski, Andy Lücking, Alexander
938 Mehler, Pilar Prieto, Paula G. Sánchez-Ramón, Job Schepens, Martin Schulte-Rüther, Stefan R. Schweinberger, and Celina I. von Eiff. 2024. An
939 Outlook for AI Innovation in Multimodal Communication Research. In *Digital Human Modeling and Applications in Health, Safety, Ergonomics and*
940 *Risk Management*, Vincent G. Duffy (Ed.). Springer Nature Switzerland, Cham, 182–234. https://doi.org/10.1007/978-3-031-61066-0_13
- 941 [34] Felicity Hernandez Gonzalez. 2023. Exploring the Affordances of Place-Based Education for Advancing Sustainability Education: The Role of
942 Cognitive, Socio-Emotional and Behavioural Learning. *Education Sciences* 13, 7 (July 2023), 676. <https://doi.org/10.3390/educsci13070676> Number: 7
943 Publisher: Multidisciplinary Digital Publishing Institute.
- 944 [35] Jinsoo Hwang and JungHoon (Jay) Lee. 2019. Relationships among Senior Tourists' Perceptions of Tour Guides' Professional Competencies,
945 Rapport, Satisfaction with the Guide Service, Tour Satisfaction, and Word of Mouth. *Journal of Travel Research* 58, 8 (Nov. 2019), 1331–1346.
<https://doi.org/10.1177/0047287518803199>
- 946 [36] Jonna Häkikilä, Nicola J. Bidwell, Keith Cheverst, Ashley Colley, Felix Kosmalla, Simon Robinson, and Johannes Schöning. 2018. Reflections on
947 the NatureCHI Workshop Series: Unobtrusive User Experiences with Technology in Nature. *International Journal of Mobile Human Computer*
948 *Interaction* 10, 3 (July 2018), 1–9. <https://doi.org/10.4018/IJMHCI.2018070101>
- 949 [37] IPBES. 2019. *Global assessment report on biodiversity and ecosystem services of the Intergovernmental Science-Policy Platform on Biodiversity and*
950 *Ecosystem Services*. Technical Report. IPBES secretariat, Bonn, Germany. <https://doi.org/10.5281/zenodo.3831673>
- 951 [38] Jaeho Jeon, Seongyong Lee, and Seongyune Choi. 2023. A systematic review of research on speech-recognition chatbots for language learning:
952 Implications for future directions in the era of large language models. *Interactive Learning Environments* 0, 0 (2023), 1–19. <https://doi.org/10.1080/10494820.2023.2204343>
- 953 [39] Hamlyn G Jones. 2020. What plant is that? Tests of automated image recognition apps for plant identification on plants from the British flora. *AoB*
954 *PLANTS* 12, 6 (Dec. 2020). <https://doi.org/10.1093/aobpla/plaa052>
- 955 [40] Michael D. Jones, Zann Anderson, Jonna Häkikilä, Keith Cheverst, and Florian Daiber. 2018. HCI Outdoors: Understanding Human-Computer
956 Interaction in Outdoor Recreation. In *Extended Abstracts of the 2018 CHI Conference on Human Factors in Computing Systems (CHI EA '18)*. Association
957 for Computing Machinery, New York, NY, USA, 1–8. <https://doi.org/10.1145/3170427.3170624>
- 958 [41] Peter H. Kahn, Rachel L. Severson, and Jolina H. Ruckert. 2009. The Human Relation With Nature and Technological Nature. *Current Directions in*
959 *Psychological Science* 18, 1 (Feb. 2009), 37–42. <https://doi.org/10.1111/j.1467-8721.2009.01602.x>
- 960 [42] Matej Kaninsky, Sarah Gallacher, and Yvonne Rogers. 2018. Confronting People's Fears About Bats: Combining Multi-modal and Environmentally
961 Sensed Data to Promote Curiosity and Discovery. In *Proceedings of the 2018 Designing Interactive Systems Conference (DIS '18)*. ACM, New York, NY,
962 USA, 931–943. <https://doi.org/10.1145/3196709.3196783>
- 963 [43] Enkelejda Kasneci, Kathrin Sessler, Stefan Küchemann, Maria Bannert, Daryna Dementieva, Frank Fischer, Urs Gasser, Georg Groh, Stephan
964 Günemann, Eyke Hüllermeier, Stepha Krusche, Gitta Kutyniok, Tilman Michaeli, Claudia Nerdel, Jürgen Pfeffer, Oleksandra Poquet, Michael Sailer,
965 Albrecht Schmidt, Tina Seidel, Matthias Stadler, Jochen Weller, Jochen Kuhn, and Gjergji Kasneci. 2023. ChatGPT for good? On opportunities and
966 challenges of large language models for education. *Learning and Individual Differences* 103 (April 2023). <https://doi.org/10.1016/j.lindif.2023.102274>
- 967 [44] Saba Kawas, Jordan Sherry-Wagner, Nicole Kuhn, Sarah Chase, Brittany Bentley, Joshua Lawler, and Katie Davis. 2021. NatureCollections: Can a
968 Mobile Application Trigger Children's Interest in Nature? 579–592. <https://doi.org/10.5220/0009421105790592>
- 969 [45] Stephen R. Kellert. 1997. *The Value of Life: Biological Diversity And Human Society*. Island Press, Washington, DC, USA.
- 970 [46] Jonathan Kingsley, Emily Foenander, and Aisling Bailey. 2019. “You feel like you're part of something bigger”: exploring motivations for community
971 garden participation in Melbourne, Australia. *BMC Public Health* 19, 1 (June 2019), 745. <https://doi.org/10.1186/s12889-019-7108-3>
- 972 [47] Marta M. Koć-Januchta, Konrad J. Schönborn, Casey Roehrig, Vinay K. Chaudhri, Lena A. E. Tibell, and H. Craig Heller. 2022. “Connecting concepts
973 helps put main ideas together”: cognitive load and usability in learning biology with an AI-enriched textbook. *International Journal of Educational*
974 *Technology in Higher Education* 19, 1 (March 2022), 11. <https://doi.org/10.1186/s41239-021-00317-3>
- 975 [48] Lincoln R. Larson, Rachel Szczytko, Edmond P. Bowers, Lauren E. Stephens, Kathryn T. Stevenson, and Myron F. Floyd. 2019. Outdoor Time,
976 Screen Time, and Connection to Nature: Troubling Trends Among Rural Youth? *Environment and Behavior* 51, 8 (Oct. 2019), 966–991. <https://doi.org/10.1177/0013916518806686>
- 977 [49] Andrew Chee Keng Lee, Hannah C Jordan, and Jason Horsley. 2015. Value of urban green spaces in promoting healthy living and wellbeing:
978 prospects for planning. *Risk Management and Healthcare Policy* 8 (Aug. 2015), 131–137. <https://doi.org/10.2147/RMHP.S61654>
- 979 [50] Jieon Lee, Daeho Lee, and Jae-gil Lee. 2024. Influence of Rapport and Social Presence with an AI Psychotherapy Chatbot on Users' Self-Disclosure.
980 *International Journal of Human-Computer Interaction* 40, 7 (April 2024), 1620–1631. <https://doi.org/10.1080/10447318.2022.2146227>
- 981 [51] Yanran Lin, Wonse Jo, Arsha Ali, Lionel P. Robert Jr., and Dawn M. Tilbury. 2024. Toward Personalized Tour-Guide Robot: Adaptive Content Planner
982 based on Visitor's Engagement. In *Companion of the 2024 ACM/IEEE International Conference on Human-Robot Interaction (HRI '24)*. Association for
983 Computing Machinery, New York, NY, USA, 674–678. <https://doi.org/10.1145/3610978.3640731>
- 984 [52] Yongbo Liu, Anne Cleary, Kelly S. Fielding, Zoe Murray, and Anne Roiko. 2022. Nature connection, pro-environmental behaviours and wellbeing:
985 Understanding the mediating role of nature contact. *Landscape and Urban Planning* 228 (Dec. 2022), 104550. <https://doi.org/10.1016/j.landurbplan.2022.104550>
- 986 [53] Richard Louv. 2008. *Last Child in the Woods: Saving Our Children from Nature-Deficit Disorder*. Algonquin Books, Chapel Hill, N.C.
- 987 [54] Richard Louv. 2012. *The Nature Principle: Reconnecting with Life in a Virtual Age*. Algonquin, Chapel Hill, N.C.
- 988

- 989 [55] Edith MacDonald, Taciano Milfont, and Michael Gavin. 2016. Applying the Elaboration Likelihood Model to increase recall of conservation messages
990 and elaboration by zoo visitors. *Journal of Sustainable Tourism* 24, 6 (June 2016), 866–881. <https://doi.org/10.1080/09669582.2015.1091464>
- 991 [56] Tiana Marrese, Itay Greenspan, Tally Katz-Gerro, and Femida Handy. 2024. Intergenerational transmission of pro-environmental behaviors: do
992 grandparents' environmental behaviors influence grandchildren? *Sociological Spectrum* 44, 1 (Jan. 2024), 1–15. <https://doi.org/10.1080/02732173.2023.2274021>
- 993 [57] Leanne Martin, Mathew P. White, Anne Hunt, Miles Richardson, Sabine Pahl, and Jim Burt. 2020. Nature contact, nature connectedness and
994 associations with health, wellbeing and pro-environmental behaviours. *Journal of Environmental Psychology* 68 (April 2020), 101389. <https://doi.org/10.1016/j.jenvp.2020.101389>
- 995 [58] Cynthia Matuszek, Liefeng Bo, Luke Zettlemoyer, and Dieter Fox. 2014. Learning from Unscripted Deictic Gesture and Language for Human-Robot
996 Interactions. *Proceedings of the AAAI Conference on Artificial Intelligence* 28, 1 (June 2014). <https://doi.org/10.1609/aaai.v28i1.9051>
- 997 [59] Melissa H. Monk, Melissa M. Baustian, Courtney R. Saari, Susan Welsh, Christopher F. D'Elia, Joseph E. Powers, Suzan Gaston, and Pamela Francis.
998 2014. EnvironMentors: Mentoring At-Risk High School Students through University Partnerships. *International Journal of Environmental and
999 Science Education* 9, 4 (2014), 385–397. <https://eric.ed.gov/?id=EJ1048061>
- 1000 [60] Emmanuel Opara, Adalikuw Mfon-Ette Theresa, and Tolorunleke Caroline Aduke. 2023. ChatGPT for Teaching, Learning and Research: Prospects
1001 and Challenges. <https://papers.ssrn.com/abstract=4375470>
- 1002 [61] J. Palliwoda and J. A. Priess. 2021. What do people value in urban green? Linking characteristics of urban green spaces to users' perceptions of
1003 nature benefits, disturbances, and disservices. *Ecology and Society* 26 (2021). <https://doi.org/10.5751/ES-12204-260128>
- 1004 [62] Estibaliz Palma, Luis Mata, Kylie Cohen, Doug Evans, Bernard Gandy, Nadine Gaskell, Hiliary Hatchman, Anna Mezzetti, Deborah Neumann,
1005 Jessica O'Keefe, Amy Shaw, Millie Wells, Laurence Williams, and Amy K Hahs. 2024. The city nature challenge: A global citizen science
1006 phenomenon contributing to biodiversity knowledge and informing local government practices. *BioScience* 74, 4 (April 2024), 290–299. <https://doi.org/10.1093/biosci/biae012>
- 1007 [63] Subhajit Panda and Navkiran Kaur. 2023. Exploring the viability of ChatGPT as an alternative to traditional chatbot systems in library and
1008 information centers. *Library Hi Tech News* 40, 3 (Jan. 2023), 22–25. <https://doi.org/10.1108/LHTN-02-2023-0032>
- 1009 [64] José Quiroga Pérez, Thanasis Daradoumis, and Joan Manuel Marqués Puig. 2020. Rediscovering the use of chatbots in education: A systematic
1010 literature review. *Computer Applications in Engineering Education* 28, 6 (2020), 1549–1565. <https://doi.org/10.1002/cae.22326>
- 1011 [65] Laurel Riek. 2012. Wizard of Oz Studies in HRI: A Systematic Review and New Reporting Guidelines. *Journal of Human-Robot Interaction* (Aug.
1012 2012), 119–136. <https://doi.org/10.5898/JHRI.1.1.Riek>
- 1013 [66] Ivo Roes, Natalia Stash, Yiwen Wang, and Lora Aroyo. 2009. A personalized walk through the museum: the CHIP interactive tour guide. In *CHI '09
1014 Extended Abstracts on Human Factors in Computing Systems (CHI EA '09)*. Association for Computing Machinery, New York, NY, USA, 3317–3322.
1015 <https://doi.org/10.1145/1520340.1520479>
- 1016 [67] Yvonne Rogers, Sara Price, Geraldine Fitzpatrick, Rowanne Fleck, Eric Harris, H. Smith, C. Randell, H. Muller, C. O'Malley, D. Stanton, M.
1017 Thompson, and M. Weal. 2004. Ambient wood: designing new forms of digital augmentation for learning outdoors. In *Proceedings of the 2004
1018 conference on Interaction design and children: building a community (IDC '04)*. Association for Computing Machinery, New York, NY, USA, 3–10.
1019 <https://doi.org/10.1145/1017833.1017834>
- 1020 [68] Kimiko Ryokai, Lora Oehlberg, Michael Manoochchri, and Alice Agogino. 2011. GreenHat: exploring the natural environment through experts'
1021 perspectives. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '11)*. Association for Computing Machinery,
1022 New York, NY, USA, 2149–2152. <https://doi.org/10.1145/1978942.1979254>
- 1023 [69] Stefan Schaffer, Aaron Ruß, Mino Lee Sasse, Louise Schubotz, and Oliver Gustke. 2022. Questions and Answers: Important Steps to Let AI Chatbots
1024 Answer Questions in the Museum. In *ArtsIT, Interactivity and Game Creation*, Matthias Wölfel, Johannes Bernhardt, and Sonja Thiel (Eds.). Springer
1025 International Publishing, Cham, 346–358. https://doi.org/10.1007/978-3-030-95531-1_24
- 1026 [70] Tjeerd AJ Schoonderwoerd, Emma M. Van Zoelen, Karel van den Bosch, and Mark A. Neerinx. 2022. Design patterns for human-AI co-
1027 learning: A wizard-of-Oz evaluation in an urban-search-and-rescue task. *International Journal of Human-Computer Studies* 164 (2022), 102831.
1028 <https://doi.org/10.1016/j.ijhcs.2022.102831>
- 1029 [71] Valeriya Shapoval, Manuel Rivera, and Robertico Croes. 2021. The quality of gardens tourism and the visitor experience: differentiating between
1030 first time and repeat visitors. *Annals of Leisure Research* 24, 4 (Aug. 2021), 449–467. <https://doi.org/10.1080/11745398.2020.1744174>
- 1031 [72] Jay Silver. 2008. Camera for the invisible. In *Proceedings of the 7th international conference on Interaction design and children (IDC '08)*. Association
1032 for Computing Machinery, New York, NY, USA, 173–174. <https://doi.org/10.1145/1463689.1463751>
- 1033 [73] Muhammed Ali Sit, Caglar Koylu, and Ibrahim Demir. 2019. Identifying disaster-related tweets and their semantic, spatial and temporal context
1034 using deep learning, natural language processing and spatial analysis: a case study of Hurricane Irma. *International Journal of Digital Earth* 12, 11
1035 (Nov. 2019), 1205–1229. <https://doi.org/10.1080/17538947.2018.1563219>
- 1036 [74] Masashi Soga and Kevin J. Gaston. 2016. Extinction of experience: the loss of human–nature interactions. *Frontiers in Ecology and the Environment*
1037 14, 2 (2016), 94–101. <https://doi.org/10.1002/fee.1225>
- 1038 [75] Alessandro Soro, Margot Brereton, Tshering Dema, Jessica L. Oliver, Min Zhen Chai, and Aloha May Hufana Ambe. 2018. The Ambient Birdhouse:
1039 An IoT Device to Discover Birds and Engage with Nature. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems (CHI
1040 '18)*. Association for Computing Machinery, New York, NY, USA, 1–13. <https://doi.org/10.1145/3173574.3173971>

- 1041 [76] Patricia Stehl, Mathew P. White, Valeria Vitale, Sabine Pahl, Lewis R. Elliott, Leonie Fian, and Matilda van den Bosch. 2024. From childhood blue
1042 space exposure to adult environmentalism: The role of nature connectedness and nature contact. *Journal of Environmental Psychology* 93 (Feb.
1043 2024), 102225. <https://doi.org/10.1016/j.jenvp.2023.102225>
- 1044 [77] Martin Storksdieck, Kirsten Ellenbogen, and Joe E. Heimlich. 2005. Changing minds? Reassessing outcomes in free-choice environmental education.
1045 *Environmental Education Research* 11, 3 (July 2005), 353–369. <https://doi.org/10.1080/13504620500081228>
- 1046 [78] Trine Syvertsen. 2020. *Digital Detox: The Politics of Disconnecting*. Emerald Group Publishing.
- 1047 [79] A. H. Toomey, L. Strehlau-Howay, B. Manzolillo, and C. Thomas. 2020. The place-making potential of citizen science: Creating social-ecological
1048 connections in an urbanized world. *Landscape and Urban Planning* 200 (Aug. 2020), 103824. <https://doi.org/10.1016/j.landurbplan.2020.103824>
- 1049 [80] Minh-Xuan A. Truong and Susan Clayton. 2020. Technologically transformed experiences of nature: A challenge for environmental conservation?
1050 *Biological Conservation* 244 (April 2020), 108532. <https://doi.org/10.1016/j.biocon.2020.108532>
- 1051 [81] Will R. Turner, Toshihiko Nakamura, and Marco Dinetti. 2004. Global Urbanization and the Separation of Humans from Nature. *BioScience* 54, 6
1052 (June 2004), 585–590. [https://doi.org/10.1641/0006-3568\(2004\)054\[0585:GUATSO\]2.0.CO;2](https://doi.org/10.1641/0006-3568(2004)054[0585:GUATSO]2.0.CO;2)
- 1053 [82] Jasper van Vliet. 2019. Direct and indirect loss of natural area from urban expansion. *Nature Sustainability* 2, 8 (Aug. 2019), 755–763. <https://doi.org/10.1038/s41893-019-0340-0>
- 1054 [83] Savvas Varitimadias, Konstantinos Kotis, Andreas Skamagis, Alexandros Tzortzakakis, George Tsekouras, and Dimitris Spiliotopoulos. 2020. Towards
1055 implementing an AI chatbot platform for museums. *International Conference on Cultural Informatics, Communication & Media Studies* 1, 1 (2020).
1056 <https://doi.org/10.12681/cicms.2732>
- 1057 [84] Kellie Vella, Bernd Ploderer, and Margot Brereton. 2021. Human-Nature Relations in Urban Gardens: Explorations with Camera Traps. In *Proceedings*
1058 *of the 2021 CHI Conference on Human Factors in Computing Systems (CHI '21)*. Association for Computing Machinery, New York, NY, USA, 1–13.
1059 <https://doi.org/10.1145/3411764.3445438>
- 1060 [85] S. Webber, R. Kelly, G. Wadley, and M. Smith. 2023. Engaging with Nature through Technology: a Scoping Review of HCI Research. In *Proceedings of*
1061 *the 2023 Conference on Human Factors in Computing Systems*. ACM. <https://doi.org/10.1145/3544548.3581534>
- 1062 [86] Betty Weiler and Rosemary Black. 2015. The changing face of the tour guide: one-way communicator to choreographer to co-creator of the tourist
1063 experience. *Tourism Recreation Research* 40, 3 (Sept. 2015), 364–378. <https://doi.org/10.1080/02508281.2015.1083742>
- 1064 [87] Betty Weiler and Derrin Davis. 1993. An exploratory investigation into the roles of the nature-based tour leader. *Tourism Management* 14, 2 (April
1065 1993), 91–98. [https://doi.org/10.1016/0261-5177\(93\)90041-I](https://doi.org/10.1016/0261-5177(93)90041-I)
- 1066 [88] Chunyan Zhou, Baivab Sinha, and Minghua Liu. 2020. An AI chatbot for the museum based on user Interaction over a knowledge base. In *Proceedings*
1067 *of the 2nd International Conference on Artificial Intelligence and Advanced Manufacture (AIAM2020)*. Association for Computing Machinery, New
1068 York, NY, USA, 54–58. <https://doi.org/10.1145/3421766.3421888>

1069 A Chatbot Protocols and Scripts

1070 We provide here examples of the scripts and protocols developed for the ParkPal prototype.

1071 A.1 Welcome and user instructions

1072 Hi there, thank you for visiting the system garden.

1073 I am ParkPal! I'm powered by AI and I'm here to help you learn more about the garden and enjoy your
1074 time here.

1075 Please ask me any questions anytime!

1076 You're more than welcome to explore the beautiful park by just following your instincts, but I am happy
1077 to give you some suggestions!

1078 Let me know what you want to see here and what you'd like to learn more about, and I will navigate
1079 you through the park! When you want to ask me something, just say "Hey, ParkPal" and I will answer
1080 your questions.

1081 If you'd heard enough from me at any time, just say "stop".

1082 A.2 Proactive Mode

1083 Default routine; adapt based on user requests and behaviour.

- 1084 • Deliver "Garden history" script"

- 1093 • Deliver script: a collection item close to the user.
- 1094 • Deliver an activity
- 1095 • Deliver script: cultural
- 1096 • Deliver script: a collection item close to the user.
- 1097 • Deliver an activity
- 1098 • Deliver an activity
- 1099

1100 **A.3 Passive Mode transition**

1101 Please take your time to explore this beautiful park. If you want, you can refer to the map on your
 1102 phone.
 1103 When you want to ask me something, just say “Hey ParkPal”. I’ll be happy to answer your questions.
 1104 Enjoy your walk.
 1105

1106 **A.4 Example Informational Scripts**

1107 **A.4.1 Script: Garden History.**

1108 Fun facts about the System Garden.
 1109 The System Garden at The University of Melbourne was established in 1856 by the university’s first
 1110 Professor of Natural History, Frederick McCoy. He named the System Garden because the garden design
 1111 was arranged systematically, grouping plants according to their family and planted in rows. Plants in
 1112 the same family will have some things in common, for example, their shapes of leaves and flowers. Can
 1113 you see similarities in plants in each area? Have a look!
 1114

1115 **A.4.2 Example collection item script: Osage Orange.**

1116 The large tree that dominates this area of the garden is an Osage Orange, and was planted over 150
 1117 years ago. It’s a very special old tree, it’s listed on the state register of significant trees. This species is
 1118 native to the USA. Osage orange wood is very durable and is still used for making fence posts in the US.
 1119

1120 **A.4.3 Example cultural script: Indigenous weather.**

1121 Did you know Indigenous people have different seasons from the four seasons we refer to in the Western
 1122 world? For example people of the Kulin nation would refer to September and October as *poorneet* - the
 1123 tadpole season. If you’re very lucky, you might come across a frog today at the garden!
 1124

1125 **A.4.4 Example activity script: Look.**

1126 The plants of this area belong to the group known as [Cycads]. Most of them have [a woody trunk and
 1127 stiff, spiky leaves]. But there’s lots of variety between them. Can you see differences and similarities
 1128 among them? Have a close look! What do you notice?
 1129

1130 **A.4.5 Example recommendations scripts.**

1131 I can give you suggestions if you want! Tell me there’s a particular type of plant you’re interested in,
 1132 and I will guide you to where they are.
 1133 • “Flowers” : Number 10 and 14 are currently blooming.
 1134 • “Mosses and ferns” You can check out some amazing mosses and ferns in the Australian Rainforest -
 1135

- 1145 • “Trees” > offer Palms or Osage orange or Banana trees -
- 1146 • “Nothing really” > Look activity
- 1147

1148 Received 30 June 2024

1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196